

# Sport-Thieme® Portable, Foldable Safety Mini Goal

**Thank you very much for choosing a Sport-Thieme product!**

Please read the instructions fully before you assemble the equipment, so you can enjoy the product and safety is guaranteed.  
We are happy to answer any questions you may have.



## Assembly instructions for Art.-Nr. 259 0208

This goal is preassembled. Please consider the following instructions to install the goal.

### 1. Scope of delivery


- 1 preassembled Safety small training goal including net (see bottom picture).




## Assembly instructions for Art.-Nr. 259 0208

### 2. Open the goal

Open the goal completely. If necessary release the hand wheel at the crossbar slightly. Fasten the hand wheel again after having opened the goal (see 2nd picture bottom right).



Lattenprofil 180 Grad ausklappen, sodass es durchgehend gerade verläuft. Handrad wieder anziehen.



**Achtung:** Die beiden offenen Rohrenden an der Latte sind scharfkantig. Aus technischen und funktionellen Gründen ist es nicht möglich diese zu entgraten!

Then remove the star grips at both net hoop hinges (see 1st picture bottom left). Open both net hoops so far that holes of net hoop hinge and net hoop are congruent (see 1st picture bottom right).

Stick from above 1 star grip screw per net hoop through the holes of net hoop hinge and net hoop and screw 1 star grip each (see 2nd picture bottom left and right).



1. Sterngriffschraube und Sterngriff mit Innengewinde entfernen



Sterngriffschraube



Sterngriff mit Innengewinde



2. Netzbügel aufklappen



3. Sterngriffschraube von oben durch die Bohrungen in Netzbügelscharnier und Netzbügel stecken. Von unten Sterngriff mit Innengewinde aufschrauben.



### 3. Storage of the goal

To save space during storage unscrew star grips and fold net hoops. Then fix again star grips at the net hoop hinge so that they don't get lost (see picture bottom left). Now unscrew the hand wheel so far that the crossbar can be folded. Then tighten the hand wheel again (see picture bottom right).



### 4. Ground fixing

The ground bars are equipped with boreholes of 25 mm closed with black plastic caps which serve to fix the special anchoring systems for the goal. Remove plastic caps before ground fixing with the help of a screw driver.

Different systems for the ground fixing are available (see Sport-Thieme accessories).

The anchoring system is not part of the delivery. The use of the goal without corresponding anchoring system is at your own risk.

### 5. Maintenance, safety and storage instructions



Check screwed fastenings regularly and change damaged and wearing parts if need be.

Notice: Due to our continuous quality check of products and equipment technical modifications are possible.

**This goal is constructed only for soccer matches and not for other purposes. Check all screwed fastenings before use and repeat it from time to time.**

**It has to be protected against overturning at any time. Do not climb net, goal frame and crossbar as this may influence stability and function of the hinges. It is not allowed to fix additional parts or extensions at the goal frame which may impair the safety of the goal (according to DIN EN 16579).**

To avoid damage and misuse goals have to be stored secured and in an upright position when not in use.

Only use water for cleaning the surfaces. Do not use alcohol or any aggressive chemicals!